

AMENDMENT AND PRESENTATION OF CLAIMS

Please replace all prior claims in the present application with the following claims, in which claims 4 and 16 through are canceled without prejudice or disclaimer, and claims 1, 5, 6 and 11 are currently amended.

1. (Currently Amended) A seat belt guiding auxiliary device comprising:
a seat base for contacting a person in a sitting position within a vehicle;
a pair of loop parts rising upward from both side edges of said seat base along both sides of the sitting person, and receiving a waist belt part of a vehicle seat belt; and
a pair of slanted connecting members connecting an upper end of said each loop part to each of backward side edges of the seat base;
wherein said loop part comprises an extension turn-round portion extending from said seat base and folded outwards.

2. (Previously Presented) The seat belt guiding auxiliary device according to claim 1, wherein the seat belt guiding auxiliary device serves as a seat mat to be positioned under the buttocks of the sitting person.

3. (Original) The seat belt guiding auxiliary device according to claim 1, wherein the seat belt guiding auxiliary device has a configuration of a juvenile seat positioned on a car bench seat to increase a seated height of the sitting person.

4. (Canceled).

5. (Currently Amended) The seat belt guiding auxiliary device according to claim [[4]] 1, wherein said seat base and said extension turn-round portion are formed by a continuous seam.

6. (Currently Amended) The seat belt guiding auxiliary device according to claim [[4]] 1, wherein said loop part comprises connecting means for detachably connecting the end of said extension turn-round portion to a bottom surface of said seat base.

7. (Previously Presented) The seat belt guiding auxiliary device according to claim 6, wherein said connecting means comprises;

an extension belt extending from the end of said extension turn-round portion;

a base belt extending from the bottom surface of said seat base; and

a buckle detachably connecting said extension belt and said base belt.

8. (Original) The seat belt guiding auxiliary device according to claim 7, wherein a length of said extension belt can be adjusted.

9. (Previously Presented) The seat belt guiding auxiliary device according to claim 7, wherein said base belt extends over the whole length of the bottom surface of said seat base in the width direction thereof.

10. (Original) The seat belt guiding auxiliary device according to claim 1, wherein said each slanted connecting member continuously rises and extends from the side edge of said seat base.

11. (Currently Amended) The seat belt guiding auxiliary device according to claim [[4]] 1, wherein said seat base, said each slanted connecting member, and said each extension turn-round portion are formed by a continuous seam.

12. (Original) The seat belt guiding auxiliary device according to claim 1, comprising a back support cushion rising from a backward edge of said seat base to support the back of the sitting person from behind.

13. (Original) The seat belt guiding auxiliary device according to claim 12, comprising means for detachably connecting said back support cushion to the backward edge of said seat base.

14. (Original) The seat belt guiding auxiliary device according to claim 12, wherein said seat base comprises a flexible backward extension portion extending backward or upward from the backward edge, and said back support cushion is connected to said backward extension portion.

15. (Previously Presented) The seat belt guiding auxiliary device according to claim 1, comprising a seat base fixing member fixing said seat base to a car bench seat.

Claims 16 through 20 (Canceled).